ONE-PIECE WATER STORAGE

# GRP Water Tanks

## Strength. Hygiene. Reliability.

UK-manufactured, one-piece GRP water tanks. WRAS approved for potable water storage and built for long-term durability.



## Built for lasting performance.


- One-piece seamless construction
- Lightweight yet strong
- Internal & external installation
- Corrosion, UV & impact resistant
- Low maintenance & long service life
- Wide range of sizes & capacities

**Insulation available on request.**

SUPERIOR DESIGN. TRUSTED PERFORMANCE.

# Water storage, made to suit.

Smooth, hygienic internal surfaces support easy cleaning, while robust GRP construction provides strength and durability.




WRAS APPROVED PRODUCT

### WRAS approved

For potable water storage.

Manufactured in the UK using high-quality glass reinforced plastic.

## A versatile range of applications

**Commercial**
Offices, schools, hospitals and retail.

**Industrial**
Water storage for industrial processes.

**Residential**
Apartment blocks and housing developments.

**Water & wastewater**
Potable water and wastewater applications.

**Agriculture & rural**
Storage for farms and rural installations.

**Insulation available**
Tanks can be insulated if required.

## Let’s discuss your requirements.

Send your required capacity, dimensions, intended use and delivery location for a quotation.

info@grpbuildingproducts.co.uk

SIZES & SPECIFICATIONS

# 45.45 – 1,360 litres

Nominal capacities and dimensions for our standard one-piece range. Tanks can be insulated if required.

| Product code | Nominal capacity | | Internal dimensions (mm) | | | External dimensions (mm) | | |
|---|---|---|---|---|---|---|---|---|
| | Litres | Gallons | Length | Width | Height | Length | Width | Height |
| GRPBP-45L | 45.45 | 10 | 458 | 305 | 305 | 618 | 465 | 325 |
| GRPBP-68L | 68.18 | 15 | 610 | 305 | 381 | 770 | 465 | 401 |
| GRPBP-90L | 90.9 | 20 | 610 | 406 | 381 | 770 | 566 | 401 |
| GRPBP-113L | 113.36 | 25 | 610 | 431 | 431 | 770 | 591 | 451 |
| GRPBP-136L | 136.36 | 30 | 610 | 458 | 484 | 770 | 618 | 504 |
| GRPBP-181L/1 | 181.81 | 40 | 610 | 610 | 484 | 770 | 770 | 504 |
| GRPBP-181L/2 | 181.81 | 40 | 686 | 510 | 510 | 866 | 690 | 530 |
| GRPBP-204L | 204.54 | 45 | 610 | 610 | 560 | 790 | 790 | 580 |
| GRPBP-227L/1 | 227.27 | 50 | 737 | 560 | 560 | 917 | 740 | 580 |
| GRPBP-227L/2 | 227.27 | 50 | 610 | 610 | 610 | 790 | 790 | 630 |
| GRPBP-250L | 250 | 55 | 1,000 | 500 | 500 | 1,180 | 680 | 520 |
| GRPBP-272L | 272.72 | 60 | 763 | 585 | 610 | 943 | 765 | 630 |
| GRPBP-318L | 318.17 | 70 | 915 | 610 | 585 | 1,095 | 790 | 605 |
| GRPBP-363L | 363.6 | 80 | 915 | 651 | 610 | 1,095 | 831 | 630 |
| GRPBP-455L/1 | 455 | 100 | 1,220 | 610 | 610 | 1,400 | 790 | 630 |
| GRPBP-455L/2 | 455 | 100 | 966 | 686 | 686 | 1,146 | 866 | 706 |
| GRPBP-500L/1 | 500 | 110 | 1,000 | 500 | 1,000 | 1,180 | 680 | 1,020 |
| GRPBP-500L/2 | 500 | 110 | 1,000 | 1,000 | 500 | 1,180 | 1,180 | 520 |
| GRPBP-568L | 568 | 125 | 966 | 763 | 788 | 1,146 | 943 | 808 |
| GRPBP-682L | 682 | 150 | 1,169 | 890 | 686 | 1,349 | 1,070 | 706 |
| GRPBP-750L/1 | 750 | 165 | 1,500 | 500 | 1,000 | 1,680 | 680 | 1,020 |
| GRPBP-750L/2 | 750 | 165 | 1,000 | 750 | 1,000 | 1,180 | 930 | 1,020 |
| GRPBP-910L | 910 | 200 | 1,169 | 890 | 890 | 1,349 | 1,070 | 910 |
| GRPBP-1000L/1 | 1,000 | 220 | 1,000 | 1,000 | 1,000 | 1,180 | 1,180 | 1,070 |
| GRPBP-1000L/2 | 1,000 | 220 | 2,000 | 500 | 1,000 | 2,180 | 680 | 1,070 |
| GRPBP-1000L/3 | 1,000 | 220 | 1,500 | 550 | 1,215 | 1,680 | 730 | 1,285 |
| GRPBP-1025L | 1,025 | 225 | 1,373 | 1,220 | 610 | 1,553 | 1,400 | 680 |
| GRPBP-1360L | 1,360 | 300 | 1,220 | 1,220 | 915 | 1,400 | 1,400 | 985 |



Insulation available on request

SIZES & SPECIFICATIONS

# 1,500 – 6,000 litres

Nominal capacities and dimensions for our standard one-piece range. Tanks can be insulated if required.

| Product code | Nominal capacity | | Internal dimensions (mm) | | | External dimensions (mm) | | |
|---|---|---|---|---|---|---|---|---|
| | Litres | Gallons | Length | Width | Height | Length | Width | Height |
| GRPBP-1500L/1 | 1,500 | 330 | 1,500 | 1,000 | 1,000 | 1,680 | 1,180 | 1,070 |
| GRPBP-1500L/2 | 1,500 | 330 | 1,000 | 1,000 | 1,500 | 1,180 | 1,180 | 1,570 |
| GRPBP-1590L | 1,590 | 350 | 1,220 | 1,220 | 1,067 | 1,400 | 1,400 | 1,137 |
| GRPBP-1820L | 1,820 | 400 | 1,220 | 1,220 | 1,220 | 1,400 | 1,400 | 1,290 |
| GRPBP-2000L/1 | 2,000 | 440 | 2,000 | 1,000 | 1,000 | 2,180 | 1,180 | 1,070 |
| GRPBP-2000L/2 | 2,000 | 440 | 1,000 | 1,000 | 2,000 | 1,220 | 1,220 | 2,070 |
| GRPBP-2250L/1 | 2,250 | 495 | 1,500 | 1,500 | 1,000 | 1,680 | 1,680 | 1,070 |
| GRPBP-2250L/2 | 2,250 | 495 | 1,500 | 1,000 | 1,500 | 1,720 | 1,220 | 1,570 |
| GRPBP-2270L | 2,270 | 500 | 1,830 | 1,220 | 1,017 | 2,162 | 1,400 | 1,077 |
| GRPBP-2500L | 2,500 | 550 | 2,500 | 1,000 | 1,000 | 2,680 | 1,180 | 1,070 |
| GRPBP-2727L | 2,727 | 600 | 1,830 | 1,120 | 1,220 | 2,010 | 1,300 | 1,290 |
| GRPBP-3000L/1 | 3,000 | 660 | 3,000 | 1,000 | 1,000 | 3,180 | 1,180 | 1,070 |
| GRPBP-3000L/2 | 3,000 | 660 | 2,000 | 1,500 | 1,000 | 2,180 | 1,680 | 1,070 |
| GRPBP-3000L/3 | 3,000 | 660 | 1,500 | 1,000 | 2,000 | 1,720 | 1,220 | 2,070 |
| GRPBP-3000L/4 | 3,000 | 660 | 2,000 | 1,000 | 1,500 | 2,220 | 1,220 | 1,570 |
| GRPBP-3375L | 3,375 | 742 | 1,500 | 1,500 | 1,500 | 1,720 | 1,720 | 1,570 |
| GRPBP-3545L | 3,545 | 780 | 2,135 | 1,373 | 1,220 | 2,315 | 1,553 | 1,290 |
| GRPBP-4000L/1 | 4,000 | 880 | 2,000 | 2,000 | 1,000 | 2,180 | 2,180 | 1,070 |
| GRPBP-4000L/2 | 4,000 | 880 | 2,000 | 1,000 | 2,000 | 2,220 | 1,220 | 2,070 |
| GRPBP-4500L/1 | 4,500 | 990 | 3,000 | 1,500 | 1,000 | 3,180 | 1,680 | 1,070 |
| GRPBP-4500L/2 | 4,500 | 990 | 3,000 | 1,000 | 1,500 | 3,220 | 1,220 | 1,570 |
| GRPBP-4500L/3 | 4,500 | 990 | 1,500 | 1,500 | 2,000 | 1,720 | 1,720 | 2,070 |
| GRPBP-4545L | 4,545 | 1,000 | 2,440 | 1,525 | 1,220 | 2,620 | 1,705 | 1,290 |
| GRPBP-5000L/1 | 5,000 | 1,100 | 5,000 | 1,000 | 1,000 | 5,180 | 1,180 | 1,070 |
| GRPBP-5000L/2 | 5,000 | 1,100 | 2,500 | 1,000 | 2,000 | 2,720 | 1,220 | 2,070 |
| GRPBP-5000L/3 | 5,000 | 1,100 | 2,500 | 2,000 | 1,000 | 2,680 | 2,180 | 1,070 |
| GRPBP-6000L/1 | 6,000 | 1,320 | 3,000 | 2,000 | 1,000 | 3,180 | 2,180 | 1,070 |
| GRPBP-6000L/2 | 6,000 | 1,320 | 4,000 | 1,500 | 1,000 | 4,180 | 1,680 | 1,070 |



Insulation available on request

SIZES & SPECIFICATIONS

# 6,000 - 45,000 litres

Nominal capacities and dimensions for our standard one-piece range. Tanks can be insulated if required.

| Product code | Nominal capacity | | Internal dimensions (mm) | | | External dimensions (mm) | | |
|---|---|---|---|---|---|---|---|---|
| | Litres | Gallons | Length | Width | Height | Length | Width | Height |
| GRPBP-6000L/3 | 6,000 | 1,320 | 4,000 | 1,000 | 1,500 | 4,220 | 1,220 | 1,570 |
| GRPBP-6000L/4 | 6,000 | 1,320 | 2,000 | 2,000 | 1,500 | 2,200 | 2,200 | 1,570 |
| GRPBP-6000L/5 | 6,000 | 1,320 | 3,000 | 1,000 | 2,000 | 3,220 | 3,220 | 2,070 |
| GRPBP-6000L/6 | 6,000 | 1,320 | 2,000 | 1,500 | 2,000 | 3,220 | 3,220 | 2,070 |
| GRPBP-6525L | 6,525 | 1,435 | 3,000 | 1,500 | 1,450 | 3,220 | 1,720 | 1,520 |
| GRPBP-7000L | 7,000 | 1,540 | 3,500 | 2,000 | 1,000 | 3,680 | 2,180 | 1,070 |
| GRPBP-7500L | 7,500 | 1,649 | 2,500 | 2,000 | 1,500 | 2,680 | 2,180 | 1,570 |
| GRPBP-8000L/1 | 8,000 | 1,760 | 4,000 | 2,000 | 1,000 | 4,180 | 2,180 | 1,070 |
| GRPBP-8000L/2 | 8,000 | 1,760 | 2,000 | 2,000 | 2,000 | 2,220 | 2,220 | 2,070 |
| GRPBP-9000L | 9,000 | 1,980 | 3,000 | 2,000 | 1,500 | 3,220 | 2,220 | 1,570 |
| GRPBP-10000L/1 | 10,000 | 2,200 | 5,000 | 2,000 | 1,000 | 5,180 | 2,180 | 1,070 |
| GRPBP-10000L/2 | 10,000 | 2,200 | 2,500 | 2,000 | 2,000 | 2,720 | 2,220 | 2,070 |
| GRPBP-12000L | 12,000 | 2,640 | 3,000 | 2,000 | 2,000 | 3,220 | 2,220 | 2,070 |
| GRPBP-15000L | 15,000 | 3,299 | 3,000 | 2,000 | 2,500 | 3,250 | 2,250 | 2,570 |
| GRPBP-16000L | 16,000 | 3,520 | 4,000 | 2,000 | 2,000 | 4,220 | 2,220 | 2,070 |
| GRPBP-18000L | 18,000 | 3,960 | 4,500 | 2,000 | 2,000 | 4,720 | 2,220 | 2,070 |
| GRPBP-20000L/1 | 20,000 | 4,400 | 5,000 | 2,000 | 2,000 | 5,220 | 2,220 | 2,070 |
| GRPBP-20000L/2 | 20,000 | 4,400 | 4,000 | 2,000 | 2,500 | 4,250 | 2,250 | 2,570 |
| GRPBP-24000L | 24,000 | 5,280 | 6,000 | 2,000 | 2,000 | 6,220 | 2,220 | 2,070 |
| GRPBP-25000L | 25,000 | 5,499 | 4,000 | 2,500 | 2,500 | 4,250 | 2,750 | 2,570 |
| GRPBP-28000L | 28,000 | 6,160 | 7,000 | 2,000 | 2,000 | 7,220 | 2,220 | 2,070 |
| GRPBP-30000L/1 | 30,000 | 6,599 | 5,000 | 3,000 | 2,000 | 5,220 | 3,220 | 2,070 |
| GRPBP-30000L/2 | 30,000 | 6,599 | 4,000 | 3,000 | 2,500 | 4,250 | 3,250 | 2,570 |
| GRPBP-32000L | 32,000 | 7,040 | 8,000 | 2,000 | 2,000 | 8,220 | 2,220 | 2,070 |
| GRPBP-35100L | 35,100 | 7,720 | 5,000 | 3,000 | 2,340 | 5,250 | 3,250 | 2,410 |
| GRPBP-36000L | 36,000 | 7,920 | 9,000 | 2,000 | 2,000 | 9,220 | 2,220 | 2,070 |
| GRPBP-40000L | 40,000 | 8,800 | 10,000 | 2,000 | 2,000 | 10,220 | 2,220 | 2,070 |
| GRPBP-45000L | 45,000 | 9,900 | 7,500 | 3,000 | 2,000 | 7,720 | 3,220 | 2,070 |



Insulation available on request